


JAI MATA DI



**PUSHPA Solutions FOR
Kitchen EQUIPMENTS**



Pushpa
Gas Equipments
www.pushpakitchen.com

About Us

Incepted In The Year 1990, Pushpa Gas Equipments Is Manufacturing And Supplying A Range Of Electrical And Gas Operated Commercial Kitchen Equipment & Utility Equipment. These Gas Kitchen Appliance, Commercial Hospitality Equipment Are Widely Demanded By Various Hotels, Hospitals, Embassies, Resorts, Industries And Educational, Professional Institutions. In Addition, We Also Meet The Requirements Of Cooling Equipment, Kitchen Refrigeration Equipment, Commercial Dish Washing Equipment, Kitchen Exhaust System, Exhaust Hoods And L.p.g Gas System Including Gas Banks.

Our Range Includes Commercial Hospitality Equipment, Catering Kitchen Equipment, Commercial Dishwashing Equipment, Kitchen Refrigeration Equipment, Gas Kitchen Appliance, Four Burner Range With Oven, Chapatti Plate With Puffer, Cold Bain Marie Counter, Masala Trolley, Kitchen Storage Racks, Pizza Oven, Hot Case Counter, Pot Wash Sink And Island Kitchen.

All Our Commercial Kitchen Equipment Are Used For Different Purposes Such As Food Preparation, Cooking, Frying, Washing, Refrigeration And Storage. These Commercial Hospitality Equipment, Gas Kitchen Appliance Are Developed Using Stainless Steel And Other Material, Which Ensures In Them High Durability Standards. We Also Use Innovative Technology In Its Manufacturing, Which Is Carried Out By Our Experts, Under The Guidance Of Our Owner Mr. Gorakhnath Salunkhe

He Has Tremendous Experience In This Domain, Which Enables Us To Acquire High Repute In The Segment Of Kitchen Equipment. His Process Expertise Enables Us To Also Offer Customized Solutions To Our Customers For Our Range Of Equipment, In Terms Of Sizes And Finishes.

With The Efforts Of Our Mentor And Experts, We Have Acquired Tremendous Customer Satisfaction. In Order To Reach To Our Potential Customers.


Pushpa, Key Markets Include:

- Hotels • Restraunts • Hospitals • Food Courts • Educational Institutions • Industrial Institutions / Canteens • Take Away Outlets • Clubs

Pushpa Is A Offers A Broad Range Of Commercial Kitchen Equipments Along With Planning, Design Cad Layouts, Lpg Gas Pipeline Systems, Exhaust Systems And Facilitates Maintenance & Services. The Firm's Multidisciplinary Approach Offers Clients Comprehensive, Cost-effective Solutions To Their Most Challenging Situations.

Esteemed Clients –

- Jyoti Hospitality Services Pvt. Ltd- Sivsagar – Assam
- Mukta Food Court- Shirdi , Maharashtra
- Hotel Sharanam Pvt. Ltd – Goa , Calangut Beach
- Hotel Fidalgo- Goa
- Hotel Fidalgo- Pune
- Hotel Fidalgo- Hyderabad
- Hotel Mh-20 – Aurangabad , Maharashtra
- Hotel Baradari- Bhiwandi (mumbai)
- Kailash Parbat, Korum Mall,- Thane –mumbai
- Better Home International –andheri (Mumbai)
- Hyacinth Lifestyle Pvt.ltd –mumbai, Jogeshwari –(w) (21 Fahrenheit Restaurant)
- Accutest Reserch Laboratories (I) Pvt.ltd.- Ttc Industrial Area ,khairane , Navi Mumbai
- Delizo Restaurants Pvt. Ltd (garcia,s Famous Pizza) - Ahmedabad- Gujrat
- Plaza Hotels Pvt. Ltd (vithal Kamat Pvt.ltd).- Kikwi , Pune
- Plaza Hotels Pvt. Ltd (vithal Kamat Pvt.ltd) .- Dobabaspeta , , Karnataka
- Plaza Hotels Pvt. Ltd (Vithal Kamat Pvt.ltd) - Gundlav , Karnataka
- Plaza Hotels Pvt. Ltd (vithal Kamat Pvt.ltd) – Gulbarga, Karnataka
- Tree-o-resort Pvt.ltd.- Manor Pride , Palghar
- Tunga Regency Pvt. Ltd. – Navi Mumbai
- Tunga International - Andheri (e)
- Tunga Paradise – M.id.c – Andheri (e)
- Tunga Regale - M.i.d.c Andheri(e)
- Hotel Varishtta Pvt. Ltd – Koper Khairane – Navi Mumbai
- Grand Peninsula Pvt. Ltd – Sakinaka , 90th Feet Road
- Hotel Peninsula – Sion (e)
- Hotel Peninsula Next – Sion (e)
- Hotel Peninsula Central – Sion (e)
- Legacy Of Mumbai- S.v. Road, Malad (w)
- Pioneer City Park – M.m.r.d Garden , Bandra Curla Complex
- Homi Bhabha Center For Science Education- (tata Institute Of Fundamental Research)- Mankhurd-mumbai
- Indira Gandhi Institute Of Development Research- Goregaon (e), Mumbai
- Hindustan Prefab Limited- Esic- Lower Parel, Mumbai
- Maharashtra Rajya Sahakari Dudh Mahaangh Maryadit- Goregaon –(w)- Mumbai
- Tata Memorial Center- Kharghar –navi Mumbai
- Tata Consultancy Services – Borivali (e)
- Tata Consultancy Services – Malad (e)
- Tata Consultancy Services – Nariman Point
- Telephone Exchange – Bandra (w)
- Satyam Embrodries Pvt.ltd (season Banquite) – Mira Road



COOKING EQUIPMENT

REFRIGERATION EQUIPMENT

TROL

PUSHPA Solutions FOR Kitchen EQUIPMENTS



TABLE & RACKS



TABLE & SINKS



OTHER EQUIPMENTS




ISLAND KITCHEN

Cooking Equipment



4 BURNER RANGE WITH OVEN

ITEM CODE	DIMENSION	BURNERS	POWER CONSUMPTION
PGE-102H	36" X 36" X 36"+6"	T-22-65000BTU/HR	4.0 KW
PGE-102HA	30" X 30" X 36"+6"	T-22-65000BTU/HR	4.0 KW



3 BURNER RANGE

ITEM CODE	DIMENSIONS	BURNERS	PS RING
PGE-109HA	72" x 30" x 34"	T35/G11-70000 BTU/HR	18" x 18"
PGE-109H	66" x 24" x 34"	T35/G11-70000 BTU/HR	16" x 16"



2 BURNER RANGE

ITEM CODE	DIMENSIONS	BURNERS	PS RING
PGE-118H	54" x 30" x 34"	T35/G11-70000 BTU/HR	18" x 18"
PGE-118HA	48" x 24" x 34"	T35/G11-70000 BTU/HR	16" x 16"



SINGLE BURNER

ITEM CODE	DIMENSION	BURNERS	PS RING
PGE-103H	24" x 24" x 24"	T35-70000BTU/HR	16" x 16"
PGE-103HA	30" x 30" x 24"	T35-70000BTU/HR	18" x 18"



CHINESE RANGE

ITEM CODE	DIMENSION	BURNERS	PS RING
PGE-105HA	72" x 30" x 34"+18"	T-35/T-22-70000BTU/HR	DIA 14"/10"
PGE-105H	66" x 27" x 34"+18"	T-35/T-22-70000BTU/HR	DIA 12"/9"



DOME TYPE CHINESE RANGE

ITEM CODE	DIMENSION	BURNERS	PS RING
PGE-111H	72" x 30" x 34"+18"	T-35/M-35-70000 BTU/HR	DIA14"/12"
PGE-111HA	54" x 30" x 34"+18"	T-35/M-35-70000 BTU/HR	DIA14"

** Sizes can be customised according to the customer requirement.*



CHAPATI PLATE WITH PUFFER





TABLE TOP SINGLE FRYER




DOUBLE DEEP FAT FRYER

ITEM CODE	DIMENSION	BURNERS	PUFFER
PGE-104HA	72" x 24" x 34"	RV-450-70,000 BTU/HR	15" X 24"
PGE-104H	48" x 24" x 34"	RV-450-70,000 BTU/HR	12" X 20"

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	TANK CAPACITY
PGE-113H	12" x 18" x 10"	2.0 KW/HR	10 ltrs.
PGE-113HA	10" x 15" x 10"	1.5 KW/HR	7 ltrs.

ITEM CODE	DIMENSIONS	TANK CAPACITY	POWER CONSUMPTION
PGE-119H	36" x 24" x 34"+6"	12 ltrs. each	4.0 KW/HR
PGE-119HA	30" x 24" x 34"+6"	8 ltrs. each	3.0 KW/HR



DEEP FAT FRYER



SALAMANDER



PIZZA OVEN

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	TANK CAPACITY
PGE-116H	24" x 30" x 34"+12"	3.0 KW/HR	20 ltrs.
PGE-116HA	24" x 24" x 34"+12"	3.0 KW/HR	15 ltrs.

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	CAPACITY
PGE-107H	24" x 18" x 20"	3 KW/HR	12 slices
PGE-107HA	30" x 20" x 20"	4 KW/HR	24 slices

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	PIZZA CAPACITY
PGE-108H	30" x 24" x 20"	3.0 KW/HR	DIA 9"/4 Pcs.
PGE-108HA	36" x 24" x 20"	4.0 KW/HR	DIA 9"/6 Pcs.



HOT CASE COUNTER



TABLE TOP SINGLE BURNER



TABLE TOP TAWA TOP

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	CAPACITY
PGE-112H	48" x 24" x 34" + 6	2.0KW/HR	350 ltrs.
PGE-112HA	54" x 24" x 60" + 6	3.0KW/HR	600 ltrs.

ITEM CODE	DIMENSIONS	BURNERS	PS RING
VIE-706H	20" X 20" X 12"	T-35-70000BTU/HR	12" X12"
VIE-706HA	18" X 18" X 12"	T-35-70000BTU/HR	12" X12"

ITEM CODE	DIMENSIONS	BURNERS	TAWA
PGE-705H	20" X 20" X 15"	G-11-70000BTU/HR	DIA 20"
PGE-705HA	18" X 18" X 15"	G-11-70000BTU/HR	DIA 18"

* Sizes can be customised according to the customer requirement.



TILTING BULK COOKER



TILTING-BRAT-PAN



MILK BOILER

Also available in lpg operated

ITEM CODE	DIMENSIONS	CAPACITY	BURNERS
PGE-701HA	36" x 30" x 42"	80 ltrs.	M-IV-70,000 BTU/HR
PGE-701HB	42" x 36" x 48"	120 ltrs.	M-V-80,000 BTU/HR
PGE-701HC	48" x 36" x 48"	160 ltrs.	M-V-80,000 BTU/HR

ITEM CODE	DIMENSIONS	CAPACITY	BURNERS
PGE-704HA	36" x 30" x 42"	80 ltrs.	M-IV-70,000 BTU/HR
PGE-704HB	42" x 36" x 48"	120 ltrs.	M-V-80,000 BTU/HR
PGE-704HC	48" x 36" x 48"	160 ltrs.	M-V-80,000 BTU/HR

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-122H	DIA 20" x 36"	50 ltrs.	2.0 KW
PGE-122HA	DIA 22" x 42"	75 ltrs.	2.5 KW
PGE-122HB	DIA 24" x 48"	100 ltrs.	3.0 KW



TEA BOILER

Also available in lpg operated



IDLY STEAMER



HOT FOOD SERVICE TROLLEY

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-123H	DIA 20" x 36"	50 ltrs.	2.0 KW
PGE-123HA	DIA 22" x 42"	75 ltrs.	2.5 KW
PGE-123HB	DIA 24" x 48"	100 ltrs.	3.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-124H	20" x 20" x 30"	54 idlys	2.0 KW
PGE-124HA	36" x 20" x 48"	108 idlys	4.0 KW
PGE-124HB	52" x 20" x 48"	162 idlys	6.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-703HA	36" x 24" x 48"	34 trays	1.0 KW/HR
PGE-703HB	48" x 30" x 48"	68 trays	1.5 KW/HR



HOT BAIN MARIE




TABLE TOP HOT BAIN MARIE

ITEM CODE	DIMENSIONS	GN PANS	POWER CONSUMPTION
PGE-130H	72" x 30" + 12" x 34"	1/1 X 6" - 5Pcs	3.0 KW
PGE-130HA	60" x 30" + 12" x 34"	1/1 X 6" - 4Pcs	2.0 KW

ITEM CODE	DIMENSIONS	GN PANS	POWER CONSUMPTION
PGE-708H	48" x 18" x 12"	1/2 X 4" - 4 Pcs.	2.0 KW
PGE-708HA	60" x 18" x 12"	1/2 X 4" - 5 Pcs.	3.0 KW

* Sizes can be customised according to the customer requirement.




SANDWICH GRILLER



SINGLE DECK BAKING OVEN

Also available in LPG operated



THREE DECK BAKING OVEN

Also available in LPG operated

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-125H	27" x 12" x 15"	DOUBLE	4.0 KW
PGE-125HA	14" x 12" x 15"	SINGLE	2.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	TRAY SIZE	POWER CONSUMPTION
PGE-26H	48" x 30" x 30"	02 trays	600 x 400mm	5.0 KW
PGE-126HA	66" x 42" x 30"	04 trays	600 x 400mm	9.0 KW

ITEM CODE	DIMENSIONS	CAPACITY	TRAY SIZE	POWER CONSUMPTION
PGE-127H	66" x 42" x 60"	12 trays	600 x 400mm	27 KW
PGE-127HA	54" x 42" x 60"	10 trays	600 x 400mm	23 KW



TANDOOR



PLATE WARMER



DOSA PLATE

ITEM CODE	DIMENSIONS	FUEL	MOUTH DIA
PGE-702HA	30" x 30" x 36"	Coal/Gas	DIA 13"
PGE-702HB	36" x 36" x 36"	Coal/Gas	DIA 15"

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-128H	36" x 20" x 42"	100 plates	2.0 KW
PGE-128HA	20" x 20" x 42"	50 plates	1.0 KW

ITEM CODE	DIMENSIONS	BURNERS	CAPACITY
PGE-120H	48" x 24" x 34"	RV-450-70000BTU/HR	3 dosa
PGE-120HA	60" x 30" x 34"	RV-450-70000BTU/HR	5 dosa



HOT BAIN MARIE





TABLE TOP GRIDDLE PLATE



GRIDDLE PLATE

ITEM CODE	DIMENSIONS	POWER CONSUMPTION	GN PANS
PGE-114H	30" x 27" x 34"	1.5 KW/HR	1/6 x 4"=9Pcs.
PGE-114HA	72" x 27" x 34"	3.0 KW/HR	1/1 x 4"=5Pcs.

ITEM CODE	DIMENSION	GN PANS	BURNERS
PGE-131H	36" x 24" x 12"	1/6 x 4"=5Pcs	RV-450-70000 BTU
PGE-131HA	30" x 24" x 12"	1/6 x 4"=4Pcs	RV-450-70000 BTU

ITEM CODE	DIMENSION	BURNERS	TYPE
PGE-115H	36" x 27" x 34" + 4"	RV-450-70,000 BTU/HR	STANDING
PGE-115HA	30" x 27" x 34" + 4"	RV-450-70,000 BTU/HR	MOBILE

* Sizes can be customised according to the customer requirement.

Refrigeration Equipment



PANTRY FRIDGE

- Best cold storage technology which preserves food flavor & nutrients.
- Three Perforated Bottom drawers are provided.
- SS GN Pans with lids are provided on the top of the refrigerator to store mizzas.
- 20 SWG stainless steel exterior, 22 SWG stainless steel interior.
- 2.25" Puffed in place "Zero ODP" polyol / isolytate insulation.
- Digital temperature controller is provided in the unit.
- Equipped with castors, also available in adjustable leveling legs.

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION	COMPRESSORS	TEMPERATURE RANGE *	GN PANS
PGE-512	72" x 27" x 34"+8"	475 Ltrs.	675 Watts	Copeland-Kirloskar/Tecumseh	0°C to 10°C	1/6 x 4"-10pc*

- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolytate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of overhead shelves are provided for easy pick-up.



UNDER COUNTER REFRIGERATOR

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION	COMPRESSOR	TEMPERATURE RANGE *
PGE-509C	60" x 27" x 34"+12"+18"	300 Ltrs.	570 Watts	Copeland-Kirloskar/Tecumseh	0°C to 10°C



UNDER COUNTER BAR CHILLER

- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolytate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two glass vacuum doors are provided for product display.
- Extra space provided for storage of ice bags.

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION	COMPRESSOR	TEMPERATURE RANGE *
PGE-501C	72" x 30" x 34"+6"	450 Ltrs.	680 Watts	Copeland-Kirloskar/Tecumseh	0°C to 10°C

* Temperature Range May Vary Depending on the External Conditions.



GLASS DOOR REFRIGERATOR

- Bold looking stainless steel body which ensures its durability.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of vaccum glass doors are provided for clear display.

ITEM CODE	PGE-514
DIMENSIONS	50" X 30" X 78"
CAPACITY	950 Ltrs.
POWER CONSUMPTION	725 Watts
COMPRESSOR	Copeland-kirloskar/Tecumseh
TEMPERATURE*	0°C to +10°C

- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of vaccum glass doors are provided for the display.
- Two number of puff insulated s. s. doors for storage purpose.

ITEM CODE	PGE-506C
DIMENSIONS	48" X 30" X 84"
CAPACITY	1000 Ltrs.
POWER CONSUMPTION	680 Watts
COMPRESSOR	Copeland-kirloskar/Tecumseh
TEMPERATURE*	0°C to 10°C



FOUR DOOR REFRIGERATOR

* Sizes can be customised according to the customer requirement.



TWO DOOR REFRIGERATOR

- Bold looking stainless steel body which ensures its durability.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.
- Two number of puff insulated s. s. doors.

ITEM CODE	PGE-513
DIMENSIONS	30" X 30" X 84"
CAPACITY	600 Ltrs.
POWER CONSUMPTION	680 Watts
COMPRESSOR	Copeland-kirloskar/Tecumseh
TEMPERATURE*	0°C to 10°C



FOUR DOOR REFRIGERATOR

- Four number of puff insulated s. s. doors are provided.
- Bold looking stainless steel body which ensures its durability.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.
- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.

ITEM CODE	PGE-515
DIMENSIONS	48" X 30" X 84"
CAPACITY	1100 Ltrs.
POWER CONSUMPTION	725 Watts
COMPRESSOR	Copeland-kirloskar/Tecumseh
TEMPERATURE*	0°C to 10°C



SIX DOOR REFRIGERATOR

- Bold looking stainless steel body which ensures its durability.
- Six number of puff insulated s. s. doors are provided.
- 20 SWG exterior body, 22 SWG inner body.
- 2.25" Puffed in place "Zero ODP" polyol / isolyrate insulation.
- 1.5" dia drain waste with stainless steel dip tray.
- Equipped with castors, also available in adjustable leveling legs.
- Light is provided for clear view of products kept inside.
- Adjustable stainless steel shelves are provided.

- Independent on/off compressor switch.
- Digital temperature controller is provided in the unit.

ITEM CODE	CAPACITY	DIMENSIONS
PGE-516	1800 LTR	78" X 30" X 84"
POWER CONSUMPTION	COMPRESSOR	TEMPERATURE*
1200 Watts	Copeland-kirloskar/Tecumseh	0°C to 10°C

* Sizes can be customised according to the customer requirement.



REFRIGERATED SHOWCASE



COLD ROOM

TECHNICAL FEATURES	PGE-RHS-150A	PGE-RHS-250A
Dimension(mm) LxBxH	2000 x 890 x 2030	2615 x 890 x 2030
Net weight kg	347	412
Capacity (gross/net) Ltrs	1570/698	2085/845
Operating Climate	3/25/60	3/25/60
Product Temp. (C)	+1/+10	+1/+10
Defrosting	Ferm.Compr. / Stop Compr.	Ferm.Compr. / Stop Compr.
Supply (v/ph/hz)	230/1/50	230/1/50
Electrical input Standard	2600/12.8	4100/21
Electrical input Defrosting	1050/5.2	1700/8.4

TECHNICAL FEATURES	WALK-IN-CHILLER PGE-CR-950	WALK-IN-FREEZER PGE-CR-950
Dimension (mm)	3000x2400x2500	3000x2400x2500
Temp	+2°C to 10°C	-18°C to -20°C
Pull down time	24 Hrs.	24 Hrs.
Puff insulation	60 mm	100 mm
Cooling capacity	15000BTUS/HR	7000BTUS/HR
power conspt	2.5 kw	5.5 kw
Supply (v/ph/hz)	230/1/50	230/1/50
Compressor	Copeland-Kirloskar/Tecumseh	Copeland-Kirloskar/Tecumseh



ICE MAKER

ITEM CODE	DIMENSIONS	COOLING CAPACITY	STORAGE CAPACITY	POWER CONSUMPTION
PGE-511-40/80	22"x22"x48"	40 Ltrs	80 Ltrs	430 W
PGE-511-60/120	24"x24"x56"	60 Ltrs	120 Ltrs	680 W
PGE-511-150/150	24"x24"x80"	150 Ltrs	150 Ltrs	1300 W
PGE-511-150/300	26"x26"x65"	150 Ltrs	300 Ltrs	1300 W
PGE-511-200/250	28"x28"x65"	200 Ltrs	250 Ltrs	1900 W
PGE-511-300/300	32"x32"x65"	300 Ltrs	300 Ltrs	2100 W



WATER COOLER

ITEM CODE	DIMENSIONS	CAPACITY	POWER CONSUMPTION
PGE-507C-25	30" x 20" x 24"	25 KG/day	8.0 KW/day
PGE-507C-50	30" x 27" x 30"	50 KG/day	11.0 KW/day
PGE-507C-100	40" x 27" x 64"	100 KG/day	16.5 KW/day

* Sizes can be customised according to the customer requirement.

* Temperature Range May Vary Depending on the External Conditions.

Table & Sinks



TABLE WITH 2 UNDER SHELVES

ITEM CODE	DIMENSIONS	TUBULAR LEGS
PGE-302	30" x 30" x 34"	Round / Square
PGE-302A	48" x 30" x 34"	Round / Square




CLEAN DISH TABLE

ITEM CODE	DIMENSIONS	LEGS
PGE-310	48" x 24" x 34" + 6"	Tubular/ Square
PGE-310A	60" x 24" x 34" + 6"	Tubular / Square



SPREDER TABLE

ITEM CODE	DIMENSION	LEGS
PGE-803	24" x 30" x 34" + 6"	Tubular/ Square
PGE-803A	18" x 24" x 34" + 6"	Tubular / Square




WORK TABLE WITH GRANITE TOP

ITEM CODE	DIMENSION	LEGS
PGE-802	36" x 24" x 34"	Tubular/ Square
PGE-802A	48" x 24" x 34"	Tubular / Square



WORKING TABLE

ITEM CODE	DIMENSION	LEGS
PGE-301	84" x 24" x 34" + 6"	Tubular/ Square
PGE-301A	72" x 24" x 34" + 6"	Tubular / Square




DETACHABLE WORKING TABLE

ITEM CODE	DIMENSION	LEGS
PGE-303	60" x 24" x 34"	Tubular/ Square
PGE-303A	48" x 24" x 34"	Tubular / Square

** Sizes can be customised according to the customer requirement.*



WORK TABLE COUNTER



WALL MOUNTED CABINET




WORK COUNTERS WITH DOORS


ITEM CODE	DIMENSIONS	SHELVES
PGE-311	48" x 24" x 34"+6"	02
PGE-311A	60" x 24" x 34"+6"	02

ITEM CODE	DIMENSIONS	SHELVES
PGE-313	48" x 15" x 24"	02
PGE-313A	36" x 15" x 24"	02


ITEM CODE	DIMENSIONS	SHELVES
PGE-314	48" x 24" x 34"	02
PGE-314A	60" x 24" x 34"	02



DIRTY DISHLANDING TABLE



POT WASH SINK



OVERHEAD SHELVES

ITEM CODE	DIMENSIONS	LEGS
PGE-305	48" x 24" x 34"+6"	Tubular/ Square
PGE-305A	72" x 24" x 34"+6"	Tubular / Square

ITEM CODE	DIMENSIONS	SINK SIZE
PGE-308	24" x 24" x 34"+6"	16" x 16" x 14"
PGE-308A	36" x 30" x 34"+6"	26" x 22" x 18"

ITEM CODE	DIMENSIONS	
PGE-315	60" x 12"	60" x 15"
PGE-315A	48" x 12"	48" x 15"



THREE SINK UNIT



DINNING TABLE

ITEM CODE	PGE-306A	PGE-306B	PGE-306C
UNIT SIZE	72" x 24" x 34"+6	66" x 24" x 34"+6	60" x 24" x 34"+6
SINK SIZE	18" x 18" x 12"	18" x 18" x 12"	16" x 16" x 12"

ITEM CODE	PGE-302A	PGE-302B	PGE-302C	PGE-302D	PGE-302E
DIMENSIONS	48" x 32" x 30"	68" x 32" x 30"	90" x 32" x 30"	112" x 32" x 30"	134" x 32" x 30"
SITTING CAPACITY	04 Seater	06 Seater	08 Seater	10 Seater	12 Seater


* Sizes can be customised according to the customer requirement.

Trolley & Racks



HOT DOG TROLLEY

ITEM CODE	DIMENSIONS	GN PANS
PGE-201	24" x 36" x 40" + 10"	1/3 X 4" = 2pcs, 1/6 X 4" = 2pcs.
PGE-201B	30" x 36" x 40" + 10"	1/3 X 4" = 3pcs, 1/6 X 4" = 3pcs.



MASALA TROLLEY

ITEM CODE	DIMENSIONS	GN PANS
PGE-205	24" x 24" x 30"	1/6 X 4" = 9pcs.
PGE-205A	18" x 18" x 30"	1/6 X 4" = 6pcs.



PLATFORM TROLLEY

ITEM CODE	DIMENSIONS	PLATFORM
PGE-204	36" x 24" x 8" + 30"	M.S./S.S.
PGE-204A	48" x 24" x 8" + 30"	M.S./S.S.




BUSSING CART

ITEM CODE	DIMENSIONS	SHELVES
PGE-202	36" x 24" x 36"	02



TEA SERVICE TROLLEY

ITEM CODE	DIMENSIONS	DRAWER SIZE
PGE-203	36" x 20" x 34" + 6"	18" x 18" x 7"



LUGGAGE TROLLEY

ITEM CODE	DIMENSIONS	PLATFORM
PGE-206	42" x 30" x 6" + 66"	M.S./S.S.

* Sizes can be customised according to the customer requirement



TRAY RACK TROLLEY

ITEM CODE	DIMENSIONS	CAPACITY
PGE-213	18" x 24" x 66"	15 trays
VIE-213A	20" x 24" x 66"	15 trays



CLEAN DISH RACK

ITEM CODE	DIMENSIONS	SHELVES
PGE-207	36" x 18" x 66"	04
PGE-207A	48" x 24" x 66"	04



ALUMINUM RACK

ITEM CODE	DIMENSIONS	SHELVES
PGE-210	42" x 20" x 72"	05
PGE-210A	48" x 20" x 60"	04



POT RACK

ITEM CODE	DIMENSIONS	SHELVES
PGE-208	36" x 18" x 66"	04
PGE-208A	48" x 24" x 60"	03



VEGETABLE RACK

ITEM CODE	DIMENSIONS	SHELVES
PGE-211	36" x 18" x 66"	04
PGE-211A	48" x 24" x 66"	04




STORAGE RACK

ITEM CODE	DIMENSIONS	SHELVES
PGE-209	48" x 24" x 72"	05
PGE-209A	36" x 18" x 66"	04

** Sizes can be customised according to the customer requirement.*

Other Equipment



WET GRIDER

ITEM CODE	CAPACITY	MOTOR	POWER CONSUMPTION
PGE-405A	5Ltrs.	0.5HP	380 Watts
PGE-405B	10Ltrs.	1.0HP	746 Watts
PGE-405C	15Ltrs.	1.5HP	1500 Watts
PGE-405D	20Ltrs.	2.0HP	1880 Watts



POTATO PEELER

ITEM CODE	CAPACITY	MOTOR	POWER CONSUMPTION
PGE-406A	5 KG	0.5HP	380 Watts
PGE-406B	10 KG	1.0HP	746 Watts
PGE-406C	15 KG	1.5HP	1500 Watts
PGE-406D	20KG	2.0HP	1880 Watts




PULVERIZER

ITEM CODE	CAPACITY	MOTOR	POWER CONSUMPTION
PGE-409	10 Ltrs.	1.0 HP	746 Watts




MEAT SLICER

ITEM CODE	DIMENSIONS	BLADE SIZE	MOTOR	POWER CONSUMPTION
PGE-412	730 x 660 x 650 mm	250 mm	0.5 HP	380 Watts



EXHAUST HOOD (ISLAND TYPE)

ITEM CODE	DIMENSIONS
PGE-402	72" x 30" x 24"



EXHAUST HOOD (WALL MOUNTED)


ITEM CODE	DIMENSIONS
PGE-401	36" x 36" x 20"

* Sizes can be customised according to the customer requirement.




SPIRAL MIXTURE

ITEM CODE	CAPACITY	MOTOR	DIMENSIONS	POWER CONSUMPTION
PGE-413	20 Ltrs.	2.0 HP	500 x 750 x 850 mm	1500 Watts



DOUGH KNEADER

ITEM CODE	CAPACITY	MOTOR	POWER CONSUMPTION
PGE-408A	10 KG	1 HP	746 Watts
PGE-408B	20 KG	2 HP	1880 Watts
PGE-408C	25 KG	2 HP	1880 Watts
PGE-408D	50 KG	5 HP	3600 Watts



VEGETABLE CUTTING MACHINE

ITEM CODE	MOTOR	POWER CONSUMPTION
PGE-407	0.5 HP	380 Watts




MEAT MINCER

ITEM CODE	CAPACITY	DIMENSIONS	POWER CONSUMPTION	MOTOR
PGE-411	120 Kg/hr.	395 x 380 x 485 mm	750 Watts	1.0 HP



BONE SAW MACHINE

ITEM CODE	DIMENSIONS	MOTOR	POWER CONSUMPTION
VIE-414	460 x 500 x 865 mm	1.0 HP	750 Watts



HOOD TYPE DISH WASHER

ITEM CODE	DIMENSIONS	CAPACITY
PGE-1001	27" x 30" x 60"	60/30/28 Basket/HR



FRESH AIR CENTRIFUGAL BLOWER UNIT

CFM CAPACITY	MOTOR CAPACITY	MOTOR RPM	MOTOR MAKE	VOLT PHASE HZ	WATER PUMP
6000	3.0	1440	CROMPTON/ABB	440 VOLTS-3 PHASE- 50 HZ	0.25 HP
8000	5.0	1440	CROMPTON/ABB	440 VOLTS-3 PHASE- 50 HZ	0.25 HP
10000	7.5	1440	CROMPTON/ABB	440 VOLTS-3 PHASE- 50 HZ	0.50 HP
12000	7.5	1440	CROMPTON/ABB	440 VOLTS-3 PHASE- 50 HZ	0.50 HP
15000	10	1440	CROMPTON/ABB	440 VOLTS-3 PHASE- 50 HZ	0.75 HP
20000	15	1440	CROMPTON/ABB	440 VOLTS-3 PHASE- 50 HZ	1 HP

* Sizes can be customised according to the customer requirement.

Island Kitchen



**2 Burner
Range**



**Refrigerated
Drawers**



**Chinese
Range**



**Stock
Pots**



**Cold
Storage**



Sink




Salamander



Tandoor



**Deep Freezer
Storage**



The Island Kitchen multi-cuisine System is unique in the industry. This Custom built kitchen unit provides the ultimate in flexibility and convenience which allows chefs to pass items across island without any obstructions. Island Kitchen is the single Unit which allows you to use your limited kitchen space. Customized refrigerated bases are designed for exclusive use with equipment for custom one unit Installation. Available in self-contained and remote configurations, our durable refrigerated bases allow you to use your limited kitchen space.

Experts say - "Island Kitchen is the best-ever designed utility unit for multi-cuisine restaurant's Kitchen."



ITEM CODE	PGE-1101B
DIMENSION*	14'x5'x3'+3.5'
COLD STORAGE	1350Ltrs

Griddle Plate



Fryer



Pasta Boiler



Stock pot



Refrigerated Drawers



Pizza Oven



Hot Plate



Cold Storage



Mizza Containers



* Sizes can be customised according to the customer requirement.



PUSHPA GAS EQUIPMENTS

email - pushpagaseqp@gmail.com

Contact no. 09967978722/ 09969104265

www.pushpakitchen.com

Gala NO. 30 & PXX49-1/1, Laxmi Nagar No. 2, Near Laxmi Ind. Estate,
Off. Link Road, Goregaon (W), Mumbai - 90.